OI. AND	on over past 7 days		
Client Name		Date	
Medical Assistance Numl	erAgency	Agency	
Agency Provider Number	(s) RN Signature_		
Section B: Cognitive Par 1. Memory	terns Short Term Memory appears OK-Seems to r 0-Memory OK 1-Memory Pro		
2. Cognitive Skills For Daily Decision Making	to get up or have meals, which clothes to we 0 Independent-decisions consistently reasond 1 Modified Independence-some difficulty in r 2. Moderately Impaired-decisions poor, cues	wwell client made decisions about organizing the day (e.g. when get up or have meals, which clothes to wear) Independent-decisions consistently reasonable Modified Independence-some difficulty in new situations Moderately Impaired-decisions poor, cues/supervision needed Severely Impaired-never/rarely makes decisions	
3. Indicators of Delirium a. Sudden or new onset/change in to pay attention, awareness of a ONO 1 Yes			
TOTAL COGNITIVE (31, 2, and 3)		
	havior Patterns a, Indicators observed in last 30 days regardles 0 Indicator not exhibited in last 30 days	ss of cause	
anxiety, sad mood a.A feeling of s Is not worth li	n, Indicators observed in last 30 days regardles	e. Repetitive, anxious complaints/ concerns-e.g. persistently seeks attention/reassurance regarding	
Indicators of depression anxiety, sad mood a.A feeling of s Is not worth li is of no use to b.Persistent ang	n, Indicators observed in last 30 days regardles 0 Indicator not exhibited in last 30 days 1 Indicator exhibited up to 5 times each week 2. Indicator of this type exhibited daily (6 or adness or being depressed, that life ring, that nothing matters, that he/she	more times weekly) e. Repetitive, anxious complaints/ concerns-e.g. persistently seeks	
Indicators of depression anxiety, sad mood a.A feeling of s Is not worth li is of no use to b.Persistent ang annoyed, anger c. Expressions of	n, Indicators observed in last 30 days regardles 0 Indicator not exhibited in last 30 days 1 Indicator exhibited up to 5 times each week 2. Indicator of this type exhibited daily (6 or adness or being depressed, that life ring, that nothing matters, that he/she anyone or would rather be dead	e. Repetitive, anxious complaints/ concerns-e.g. persistently seeks attention/reassurance regarding schedules, meals, relationships f. Sad, pained, worried facial	
1. Indicators of depression anxiety, sad mood a.A feeling of s Is not worth li is of no use to b.Persistent ang annoyed, ange c. Expressions of fears (of bein d. Repetitive he	Indicators observed in last 30 days regardles 0 Indicator not exhibited in last 30 days 1 Indicator exhibited up to 5 times each week 2. Indicator of this type exhibited daily (6 or adness or being depressed, that life ring, that nothing matters, that he/she anyone or would rather be dead er with self or others-e.g. easily or at care received of what seem to be unrealistic	e. Repetitive, anxious complaints/ concerns-e.g. persistently seeks attention/reassurance regarding schedules, meals, relationships f. Sad, pained, worried facial expressions-e.g.furrowed brow	
a. A feeling of s Is not worth li is of no use to b. Persistent ang annoyed, ange c. Expressions of fears (of bein) d. Repetitive he obsessive con	Indicators observed in last 30 days regardles, 0 Indicator not exhibited in last 30 days 1 Indicator exhibited up to 5 times each week 2. Indicator of this type exhibited daily (6 or adness or being depressed, that life tring, that nothing matters, that he/she anyone or would rather be dead er with self or others-e.g. easily at a care received of what seem to be unrealistic gabandoned, etc) alth complaints-e.g.	e. Repetitive, anxious complaints/ concerns-e.g. persistently seeks attention/reassurance regarding schedules, meals, relationships f. Sad, pained, worried facial expressions-e.g.furrowed brow g. Recurrent crying/tearfulness h. Withdrawal from activities of	

c.Physically Abusive Behavior (to self or others)

e. Aggressive Resistance of Care (Threw meds, pushed caregiver,etc)

d. Socially Inappropriate/Disruptive Behavior (smears, throws body feces, screams, disrobing in public)

3. Changes in Behavior Behavioral symptoms have become worse over past 30 days 1 Yes 0 No

TOTAL BEHAVIOR (E2, 3)_

Section H Physical Functioning

0 Independent-did on own 1 Some Help-Help some of the time 1 S		IADL Difficulty Code 0 No Difficulty 1 Some Difficulty (very slow, f	OL Difficulty Code To Difficulty To Difficulty To Difficulty To Difficulty (very slow, fatigues, or some help) The Difficulty (Little or no participation is possible)		
a. Meal Preparation	Planning, cooking and set-up				
b. Ordinary Housework	Dusting, making bed, laundry, tidying				
c. Managing Finances	Pay bills, balance checkbook				
d. Managing Medications	Remembering, correct doses, ointments, injection opening containers	is			
e. Phone Use	How made or received, finding numbers				
f. Shopping	Food, household goods				
g. Transportation	Medical and social events				
TOTAL IADL (H1, a-g)					
 Activities of Daily Living (ADLs) (Consider all instances over past seven days) Independent - No help or oversight, OR help/oversight provided only 1 or 2 times over past week Supervision – Oversight or cueing provided 3 or more times, possible physical assistance less than three times Limited Assistance – Client highly involved in activity, received physical help in guided maneuvering of limbs or other non-weight bearing assistance 3 or more times Extensive Assistance – Client participated, but weight bearing support OR full assistance given three or more times Total Dependence – Full performance of activity by another over entire seven days Activity did not occur over entire seven days regardless of ability 					
a. Mobility in Bed	Moving to and from lying position, turning, and p	positioning body in bed			
b. Transfer	To and between surfaces-bed, chair, standing position (exclude bathroom transfers)				
c. Locomotion in Home	If in wheelchair, self-sufficiency once in chair				
d. Dressing	Includes laying out clothes, retrieving from closet, putting on and taking off				
e. Eating	Include taking in food by any method including tube-feeding				
f. Toileting	Include using toilet, commode, bedpan, urinal, catheter, transfers, cleaning self and managing clothing				
g. Personal Hygiene	Combing hair, brushing teeth, washing face and h	nands, shaving			
3. Bathing	Include shower, sponge bath, tub bath				
4. Locomotion	0 No assistive device 1 Cane 4. Wheelchair 5. Activity	2 Walker/Crutch y does not occur	3 Scooter		
a. Indoor Locomotion					
b. Outdoor Locomotion					
TOTAL ADLS (H2,3,4)					

FAX completed forms to: ATTENTION: EDS Prior Authorization Department at (401) 941-7712 **EDS**

Or mail to:

PO BOX 2006

Minimum Data Set (MDS) for Home Care Warwick RI 02887-2006 ATTENTION: EDS Prior Authorization Department